

# SAFETY DATA SHEET


SDS0084AU-F

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) &amp; 453/2010

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	Product Name Trade Name  CAS No. EINECS No. REACH Registration No.	Smoke Sabre. Smokesabre-01-XXX (XXX denotes customer variant). Mixture. Mixture. None assigned.
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	Identified use(s) Uses advised against	Smoke simulation. None known.
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	Company Identification   Telephone Fax E-mail	FlameStop NSW/ACT (Head Office) 1/70 Lower Gibbes Street CHATSWOOD, NSW. 2067 02 9932 2020 02 9932 2022 sales@flamestop.com.au
<b>1.4 Emergency telephone number</b>	Emergency Phone No.	0425 342 729
<b>1.5 Details of the manufacturer</b>	Company Identification   Telephone Fax E-mail	Detectortesters (No Climb Products Ltd) Edison House 163 Dixons Hill Road Welham Green Hertfordshire. AL9 7JE. United Kingdom +44 (0) 1707 282760 +44 (0) 1707 282777 SDS@detectortesters.com

## 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	Directive 67/548/EEC & Directive 1999/45/EC	F+; Extremely flammable.
<b>2.2 Label elements</b>	Hazard Symbol   Risk Phrases Safety Phrases   Additional Information	According to Directive 67/548/EEC & Directive 1999/45/EC  R12: Extremely flammable. S2: Keep out of the reach of children. S9: Keep container in a well-ventilated place. S16: Keep away from sources of ignition - No smoking. 96.5 % by mass of the contents are flammable. Do not spray on a naked flame or any incandescent material. Do not pierce or burn, even after use. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C.

2.3 **Other hazards** None.

2.4 **Additional Information** None.

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

#### 3.1 Mixtures

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Butane	50 - 100	106-97-8	203-448-7	01-2119474691-32	F+; R12
Propane	10 - 25	74-98-6	200-827-9	01-2119486944-21	F+; R12
Ethanol	0 - 5	64-17-5	200-578-6	None assigned	F; R11

#### 3.2 Additional Information

For full text of R/S phrases see section 16.

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Wash with plenty of soap and water.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open.

Ingestion

Unlikely route of exposure.

#### 4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

#### 5.1 Extinguishing Media

Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable Extinguishing Media

Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting.

#### 5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.



## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

- |  |  |
|--|--|
| <b>6.1 Personal precautions, protective equipment and emergency procedures</b> | Ensure adequate ventilation. Wear suitable gloves and eye/face protection.   |
| <b>6.2 Environmental precautions</b>   | Do not release large quantities into the surface water or into drains.   |
| <b>6.3 Methods and material for containment and cleaning up</b>                | Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty. |
| <b>6.4 Reference to other sections</b>   | See Also Section: 8, 13.   |

## 7. SECTION 7: HANDLING AND STORAGE

- |   |   |
|---|---|
| <b>7.1 Precautions for safe handling</b>                                | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Provide adequate ventilation. Do not eat, drink or smoke during work. Wash hands thoroughly after handling. |
| <b>7.2 Conditions for safe storage, including any incompatibilities</b> | Observe official regulations on storing packagings with pressurised containers.   |
| Storage Temperature   | Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C.   |
| Storage Life  | Stable under normal conditions.   |
| Incompatible materials  | None anticipated.   |
| <b>7.3 Specific end use(s)</b>  | Smoke simulation.   |

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Butane	106-97-8	600	1450	750	1810	WEL
Ethanol	64-17-5	1000	1920	-	-	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

- |                                     |                  |
|-------------------------------------|------------------|
| <b>8.1.2 Biological limit value</b> | Not established. |
| <b>8.1.3 PNECs and DNELs</b>        | Not established. |

**8.2 Exposure controls**
**8.2.1 Appropriate engineering controls**

Provide adequate ventilation.

**8.2.2 Personal protection equipment**

Eye/face protection

If eye contact is likely: Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

 Wear suitable gloves if prolonged skin contact is likely.  
 Gloves: Nitrile rubber, NBR.


Respiratory protection

No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

Not applicable.

**8.2.3 Environmental Exposure Controls**

Do not release large quantities into the surface water or into drains.

**9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**
**9.1 Information on basic physical and chemical properties**

Appearance	Aerosol.
Colour	Colourless.
Odour	Characteristic.
Odour Threshold	Not determined.
pH	Not determined.
Melting Point/Freezing Point	Not determined.
Initial boiling point and boiling range	-44 °C
Flash Point	<0 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Extremely flammable.
Upper/lower flammability or explosive limits	Explosive Limit Ranges: 1.5 – 15.0 Vol-%
Vapour pressure	4.3 bar @ 20 °C
Density	0.58 g/cm <sup>3</sup> @ 20 °C
Vapour density	Not determined.
Relative density	Not determined.
Solubility(ies)	Immiscible with water.
Partition coefficient: n-octanol/water	Not determined.
Ignition temperature	365 °C
Auto-ignition temperature	Product is not selfigniting.
Decomposition Temperature	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

**9.2 Other information**

Organic solvents - Content 96.4%



**10. SECTION 10: STABILITY AND REACTIVITY**

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Stable under normal conditions.
10.4	Conditions to avoid	Heat and direct sunlight.
10.5	Incompatible materials	None anticipated.
10.6	Hazardous Decomposition Product(s)	None known.

**11. SECTION 11: TOXICOLOGICAL INFORMATION**

11.1	Information on toxicological effects	
11.1.1	Mixtures	
	Acute toxicity	Low acute toxicity.
	Irritation	Non-irritant.
	Corrosivity	Not classified.
	Sensitisation	It is not a skin sensitiser.
	Repeated dose toxicity	None anticipated.
	Carcinogenicity	No evidence of carcinogenicity.
	Mutagenicity	There is no evidence of mutagenic potential.
	Toxicity for reproduction	None anticipated.
	Aspiration hazard	None anticipated.
11.2	Other information	None.

**12. SECTION 12: ECOLOGICAL INFORMATION**





12.1	Toxicity	Low toxicity to aquatic organisms.
12.2	Persistence and degradability	The product is readily biodegradable. Unlikely to persist.
12.3	Bioaccumulative potential	The product has no potential for bioaccumulation.
12.4	Mobility in soil	Immiscible with water. The product is predicted to have low mobility in soil.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None.

**13. SECTION 13: DISPOSAL CONSIDERATIONS**

13.1	Waste treatment methods	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
13.2	Additional information	Disposal should be in accordance with local, state or national legislation.

**14. SECTION 14: TRANSPORT INFORMATION**

14.1	UN number	
	ADR, IMDG, IATA	UN 1950
14.2	UN Proper Shipping Name	
	ADR	1950 AEROSOLS
	IMDG	AEROSOLS
	IATA	AEROSOLS, Flammable
14.3	Transport hazard class(es)	
	ADR	
	Class / Classification	2 5F Gases
	Label	2.1
	IMDG, IATA	

Class / Division	2.1
Label	2.1
<b>14.4 Packing Group</b>	
ADR, IMDG, IATA	None.
<b>14.5 Environmental hazards</b>	
Marine Pollutant	No.
<b>14.6 Special precautions for user</b>	Warning: Gases.
Kemler Code	-
IMDG EMS	F-D, S-U
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>14.8 Additional Information</b>	
<b>ADR</b>	
Limited Quantity (LQ)	1 L 
ADR Transport Category	2
Tunnel Restriction Code	Not Applicable in Limited Quantities
<b>IMDG</b>	
Limited Quantity (LQ)	1 L 
<b>IATA</b>	
Limited Quantity (LQ)	1 L  
UN "Model Regulation"	UN 1950, AEROSOLS, 2.1

## 15. SECTION 15: REGULATORY INFORMATION

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>					
<b>15.1.1 EU regulations</b>					
Authorisations and/or restrictions on use					
Candidate List of Substances of Very High Concern for Authorisation	All chemicals are not listed.				
REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	All chemicals are not listed.				
REACH: ANNEX XIV List of substances subject to authorisation	All chemicals are not listed.				
Community Rolling Action Plan (CoRAP); Draft 29/02/2012	All chemicals are not listed.				
<b>15.1.2 National regulations</b>	None known.				
Wassergefährdungsklasse (Germany)					
Ethanol	WGK class 1				
Technical Instructions (air)	<table border="1"> <thead> <tr> <th>Class</th> <th>Share in %</th> </tr> </thead> <tbody> <tr> <td>NK</td> <td>50 - 100</td> </tr> </tbody> </table>	Class	Share in %	NK	50 - 100
Class	Share in %				
NK	50 - 100				



## Smoke Sabre

VOC-CH	96.45%
VOC-EU	559.4g/l
Danish MAL Code	3-1
<b>15.2 Chemical Safety Assessment</b>	Not available.

### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

#### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
WGK	Wassergefährdungsklasse (Germany)
VOC	Volatile Organic Compounds
MAL Code	Måleteknisk Arbejdshygienisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
F+	Extremely flammable
F	Highly flammable

#### Risk Phrases

R11	Highly flammable.
R12	Extremely flammable.

#### Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

#### Annex to the extended Safety Data Sheet (eSDS)

No information available.