

Testifire TS3 Smoke Capsule

**SAFETY DATA SHEET**

SDS0083AU-F

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 453/2010

**1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

<b>1.1 Product identifier</b>	Product Name	Testifire TS3 Smoke Capsule.
	Trade Name	Testifire TS3-XXX (XXX denotes customer variant).
	CAS No.	Mixture.
	EINECS No.	Mixture.
	REACH Registration No.	None assigned.
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	Identified use(s)	Smoke simulation.
	Uses advised against	None known.
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	Company Identification	FlameStop NSW/ACT (Head Office) 1/70 Lower Gibbes Street CHATSWOOD, NSW. 2067
	Telephone	02 9932 2020
	Fax	02 9932 2022
	E-mail	sales@flamestop.com.au
<b>1.4 Emergency telephone number</b>	Emergency Phone No.	0425 342 729
<b>1.5 Details of the manufacturer</b>	Company Identification	Detector testers (No Climb Products Ltd) Edison House 163 Dixons Hill Road Welham Green Hertfordshire. AL9 7JE. United Kingdom
	Telephone	+44 (0) 1707 282760
	Fax	+44 (0) 1707 282777
	E-mail	SDS@detectortesters.com

**2. SECTION 2: HAZARDS IDENTIFICATION**

<b>2.1 Classification of the substance or mixture</b>	Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
<b>2.2 Label elements</b>	Hazard pictogram(s)	According to Regulation (EC) No. 1272/2008 (CLP)
	Signal word(s)	None.
	Hazard statement(s)	None.
	Precautionary statement(s)	None.
<b>2.3 Other hazards</b>		None.
<b>2.4 Additional Information</b>		None.

## Testifire TS3 Smoke Capsule

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Contains no hazardous ingredients.

#### 3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Propane-1,2-Diol	40 - 50	57-55-6	200-338-0	01-2119456809-23	None

#### 3.2 Additional Information

None.

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Wash with plenty of soap and water.

Eye Contact

Flush eyes with water for at least 15 minutes.

Ingestion

Wash out mouth with water. Seek medical treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing Media

Suitable Extinguishing Media

Use water spray, foam, dry powder or CO2 to extinguish.

Unsuitable Extinguishing Media

None known.

#### 5.2 Special hazards arising from the substance or mixture

None anticipated.

#### 5.3 Advice for fire-fighters

In case of major fire and large quantities: A self contained breathing apparatus should be worn.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Stop leak if safe to do so. Wear protective gloves.

#### 6.2 Environmental precautions

Prevent entry into drains.

#### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

#### 6.4 Reference to other sections

See Also Section: 8, 13

### 7. SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

No special measures are required.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature

Ambient.

Storage Life

Stable under normal conditions.

Incompatible materials

None anticipated.

## Testifire TS3 Smoke Capsule

7.3 **Specific end use(s)** Smoke simulation.

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Propane-1,2-Diol	57-55-6	150	474	-	-	WEL (Total vapour and particulates)
		-	10	-	-	WEL (Particulates)

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 **Biological limit value** Not established.

8.1.3 **PNECs and DNELs** Not established.

#### 8.2 Exposure controls

8.2.1 **Appropriate engineering controls** Provide adequate ventilation.

##### 8.2.2 Personal protection equipment

Eye/face protection

Not normally required.



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection

No personal respiratory protective equipment normally required.



Thermal hazards

Not applicable.

8.2.3 **Environmental Exposure Controls** Prevent entry into drains.

### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Clear.
Odour	Characteristic.
Odour Threshold	Not determined.
pH	Not determined.
Melting Point/Freezing Point	Not determined.
Initial boiling point and boiling range	100 °C
Flash Point	>100 °C
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	23 hPa @ 20 °C

## Testifire TS3 Smoke Capsule

Density	1.05 g/cm <sup>3</sup> @ 20 °C
Vapour density	Not determined.
Relative density	Not determined.
Solubility(ies)	Miscible with: Water.
Partition coefficient: n-octanol/water	Not determined.
Ignition temperature	270 °C
Auto-ignition temperature	Product is not selfigniting.
Decomposition Temperature	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
<b>9.2 Other information</b>	
Organic solvents - Content	69.8%
Water - Content	20.0%

### 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Stable under normal conditions.
10.4 Conditions to avoid	None anticipated.
10.5 Incompatible materials	None anticipated.
10.6 Hazardous Decomposition Product(s)	None known.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
11.1.1 Mixtures	
Acute toxicity	Low acute toxicity.
Irritation	Not classified.
Corrosivity	Not classified.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	None anticipated.
Aspiration hazard	None anticipated.
11.2 Other information	None.

### 12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Low toxicity to aquatic organisms.
12.2 Persistence and degradability	The product is readily biodegradable.
12.3 Bioaccumulative potential	No information available.
12.4 Mobility in soil	Soluble in water. The product is predicted to have high mobility in soil.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None.

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Consult an accredited waste disposal contractor or the local authority for advice. Smaller quantities can be disposed of with household waste.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation.

## Testifire TS3 Smoke Capsule

### 14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

14.1	<b>UN number</b>	Not applicable.
14.2	<b>UN Proper Shipping Name</b>	Not applicable.
14.3	<b>Transport hazard class(es)</b>	Not applicable.
14.4	<b>Packing Group</b>	Not applicable.
14.5	<b>Environmental hazards</b>	Not applicable.
14.6	<b>Special precautions for user</b>	Not applicable.
14.7	<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.

### 15. SECTION 15: REGULATORY INFORMATION

15.1	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
15.1.1	<b>EU regulations</b>	
	Authorisations and/or restrictions on use	
	Candidate List of Substances of Very High Concern for Authorisation	All chemicals are not listed.
	REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	All chemicals are not listed.
	REACH: ANNEX XIV List of substances subject to authorisation	All chemicals are not listed.
	REACH: ANNEX IV exemptions from the obligation to register in accordance with article 2(7)(a)	Listed in: Water.
	Community Rolling Action Plan (CoRAP); Draft 20/03/2012	All chemicals are not listed.
15.1.2	<b>National regulations</b>	
	Wassergefährdungsklasse (Germany)	None known.
	VOC-CH	WGK class 1
	VOC-EU	69.75%
		69.75%
15.2	<b>Chemical Safety Assessment</b>	Not available.

### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

#### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
WGK	Wassergefährdungsklasse (Germany)
VOC	Volatile Organic Compounds

## Testifire TS3 Smoke Capsule

### **Disclaimers**

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

### **Annex to the extended Safety Data Sheet (eSDS)**

No information available.